

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

TENDER FOR PROCUREMENT OF AUDIO VISUAL EQUIPMENT FOR SENATE HALL, UNIVERSITY OF HEALTH SCIENCES LAHORE

1. Name of Procuring Agency: University of Health Sciences Lahore
 2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under clause 38, (2) (a) of PPRA Rule 2014 (Amended)
 3. Title of Procurement: Tender For Procurement Of Audio Visual Equipment For Senate Hall, University Of Health Sciences Lahore
 4. Date & Time of Bid Closing: 09-08-2024 at 11:00 AM
 5. Date & Time of Bid Opening: 09-08-2024 at 11:30 AM
 6. No. of bids received: 03

Sr #	Required Item(s) with specifications	Bidder Name		
		1	2	3
		M/s World Wide Vision	M/s Media K Solutions	M/s BKR Traders
1	Copy of valid CNIC duly attested by authorized person.	✓	✓	✓
2	Copy of NTN /GST duly attested by authorized person.	✓	✓	✓
3	Copy of Professional Tax duly attested by authorized person.	✓	✓	✓
4	Registered with Tax Department(s): Declaration issued by Tax Department, Registration with tax department / Tax Returns/ Tax paid / Active tax payer status in FBR record.	✓	✓	✓
5	Copy of Bank Guarantees / CDR / PO per Bid Security.	✓	✓	✓
6	Bank Account Maintenance: Fresh Certificate issued by bank that the account is being maintained since when and the title of account is what, last 01 year bank account statement.	✓	✓	✓
7	Undertaking on Stamp Paper for non-blacklisting from any govt. department or entity.	✓	✓	✓
8	Original bid document purchased from UHS with each page signed and stamped.	✓	✓	✓
9	Copy of Original purchase receipt of bid document.	✓	✓	✓
10	A copy of a valid authorization certificate from the primary / principle manufacturer is required. If the evidence of manufacturing is provided by manufacturer, it should be included as well.	✓	✓	✓
11	Portfolio of Firm (supporting documents should be attached)	✓	✓	✓
12	Experience of Supplying / Dealing with subject items The Bidder should be in relevant business from last one year.	✓	✓	✓
13	Details of Businesses with Govt. Departments / other reputed firms Total No. of tenders / transactions along with total financial value shall be mentioned. The Bidder shall be submitted minimum three (3) purchase/work orders.	✓	✓	✓

us *ur*

Ur Blaq

It is hereby confirmed that all bids were evaluated against the laid specifications and found criteria. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.

Bids qualified and


bid disqualified due to not meet mandatory eligibility

 (End User)

TECHNICAL COMMITTEE:

Technical committee met on 27-08-24 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by the End User.

All bid(s) were technically evaluated according to BOQs and mandatory eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).



Technical Officer (SHC&MED)
Member



Syed Khurram Abbas
Member



Dr. Saba Khaliq
Co-Convener



Dr. Uruj Zahra
Convener

TECHNICAL EVALUATION / COMPARATIVE STATEMENT

TENDER FOR PROCUREMENT OF AUDIO VISUAL EQUIPMENT FOR SENATE HALL, UNIVERSITY OF HEALTH SCIENCES LAHORE

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under clause 38, (2) (a) of PPRA Rule 2014 (Amended)
3. Title of Procurement: Tender For Procurement Of Audio Visual Equipment For Senate Hall, University Of Health Sciences Lahore
4. Date & Time of Bid Closing: 09-08-2024 at 11:00 AM
5. Date & Time of Bid Opening: 09-08-2024 at 11:30 AM
6. No. of bids received: 03

Sr #	Required Item(s) with specifications	Qty	Bidder Name		
			1	2	3
			M/s World Wide Vision	M/s Media K Solutions	M/s BKR Traders
LOT#1 (TURN KEY SOLUTION) Note for the LOT#1 • All above mentioned IT equipment under this item must be of same brand (Sr#1-7). Warranty: One-year manufacturer's warranty for all equipment under this item.					
1	Item No. 1: Control Unit with Recording & DAFS (Qty = 01) • Open microphone control. • USB port for recording up to 64 GB or higher. • Built-in digital recorder with at least 150 MB of internal memory to record up to 6 hours of discussions. • Web browser control to turn Conferencing Units on or off and access recordings. • Plug-and-play functionality. • Support for a minimum of 50 delegates and up to 150 delegates. • Discussion control modes: o Voice activation o Override mode o Open mode o Push-to-talk • Built-in speaker with feedback suppression. • Controls and Indicators: o Microphone button for operating modes o Recording/ Playback (bit rate): 64, 96, 128, 256 Kbit/sec or higher o Volume adjustment buttons o Power on/off o Open microphone button to select the number of microphones that can be activated simultaneously o Recording/ Playback (sample frequency): 44.1 kHz or better	1	Qualified Brand Name: Bosch Model: CCSD-CURD	Qualified Brand Name: Bosch Model: CCSD-CURD	Not Quoted
2	Item No. 2/3: Chairman/ Delegate Units (Qty = 1 + 30) • GSM immunity. • Configurable as a participant or chairperson's device. • 31 cm microphone stem. • Indication for possible-to-speak. • Built-in loudspeaker with volume control. • Indication for request to speak. • Connections: • stereo headphone socket • Connector for loop-through connection of Discussion Devices. • Loudspeaker output: 72 dB SPL or better • Frequency response: 200 Hz to 16 kHz or better • Participant microphone frequency response: 125 Hz to 15 kHz or better	1+30	Qualified Brand Name: Bosch Model: CCSD-DS	Qualified Brand Name: Bosch Model: CCSD-DS / CCSD-DL	Not Quoted

3	<p>Item No. 4: Wireless Handheld Microphone with Receiver (Qty = 1)</p> <ul style="list-style-type: none"> • Stability of Freq±0.005% or better • Frequency range: 750-740 MHz or better, with 180 or higher selectable channels • PLL synthesized technology. • Handheld wireless microphone: • Frequency deviation ±44 kHz or better, S/N ratio >102 dB or better, dynamic range >100 dB or better, frequency response 60 Hz to 10 kHz or better. • LCD display. • Batteries • Minimum 8 hours of operation or longer. • Wireless microphone receiver: • Rack mounts installation. 	1	<p>Qualified</p> <p>Brand Name: Bosch</p> <p>Microphone Model: MW1-HTX-F5</p> <p>Microphone Receiver MW1-RX-F5</p>	<p>Qualified</p> <p>Brand Name: Bosch</p> <p>Microphone Model: MW1-HTX-F5</p> <p>Microphone Receiver MW1-RX-F5</p>	Not Quoted
4	<p>Item No. 5: UHF Wireless Collar Microphone with Receiver (Qty = 1)</p> <ul style="list-style-type: none"> • Frequency range: 750-740 MHz or better, with 180 or higher selectable channels • Stability of Freq±0.005% or better • PLL synthesized technology. • Collar Wireless microphone: • Frequency deviation ±44 kHz or better, S/N ratio >102 dB or better, dynamic range >100 dB or better, frequency response 60 Hz to 10 kHz or better. • LCD display. • Batteries • Minimum 8 hours of operation or longer. • Wireless microphone receiver: • Rack mount installation. 	1	<p>Qualified</p> <p>Brand Name: Bosch</p> <p>Model: UHF Wireless Belt Pack Transmitters with collar Mic MW1-LTX-F5 Microphone Receiver MW1-RX-F5</p>	<p>Qualified</p> <p>Brand Name: Bosch</p> <p>Wireless Collar Microphone Model: MW1-HTX-F5</p> <p>Microphone Receiver MW1-RX-F5</p>	Not Quoted
5	<p>Item No. 6: Ceiling Speaker (Qty = 14)</p> <ul style="list-style-type: none"> • Must delivers best quality sound for both music and speech. • ABS or equivalent material. • Power output of 8 W or better. • Rated power at 6 W or better • Sound level at 6 W power and 1 W (1 kHz, 1 m): 94 dB or better • Frequency range (-10 dB): 100 Hz to 15 kHz or better. 	14	<p>Qualified</p> <p>Brand Name: Bosch</p> <p>Model: LC3-UC06</p>	<p>Qualified</p> <p>Brand Name: Bosch</p> <p>Ceiling Speaker Model: LC3-UC06</p>	Not Quoted
6	<p>Item No. 7: Mixer Amplifier (Qty = 1)</p> <ul style="list-style-type: none"> • Supports at least 3 line inputs or higher • Includes at least 1 music source input. • Features First Channel Priority function. • Provides 110 watts of power or higher. • Indicators for -18, -12, -6, -3, and 0 dB levels or better. • Master volume for overall control. • Individual volume for each microphone input (3 or more). • Frequency response from 80 Hz to 15 kHz or better • Speech filter with a -3 dB cutoff at 315 Hz or better 	1	<p>Qualified</p> <p>Brand Name: Mosch</p> <p>Model: PLE-1ME120-EU</p>	<p>Qualified</p> <p>Brand Name: Bosch</p> <p>Mixer Amplifier Model: PLE-1ME120-EU</p>	Not Quoted
7	<p>Item No. 8: Installation (Qty = 1)</p> <ul style="list-style-type: none"> • Proper Installation & Cabling with international standard according to table requirement (modern way covering the cables, duct Patti or steel/silver Patti or according to room need). • Supplier will be responsible for related cabling, 9U Cabinet (including PDUs, Power Extensions etc.) for equipment. Supplier will be responsible for the installation, testing, commissioning, A/V integration and related equipment onsite training. 	1	Installation	MKS	Not Quoted

It is hereby confirmed that all bids were evaluated against the laid specifications and found 02 Bids qualified and 00 bid disqualified due to not meet mandatory eligibility

criteria. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.


 (End User)


IT EXPERTS Committee:


The IT Experts Committee met on 27-08-24 to evaluate bids received from the bidders following single stage two envelope bidding procedure on the basis of specifications specified in the bidding document uploaded on EPADs, PPRA and UHS website.

All bids were technically evaluated according to BOQs and mandatory eligibility criteria. IT Experts Committee recommends to process further as per PPRA Rules 2014(Amended).


Mr. Faisal Amin
Director IT - UHS


Mr. Mujtaba Ali
Director IT - PU



Mr. M. Mudassar Khan
Manager IT - UET


Mr. Farhan Ahmad
Joint Director - PITB


TECHNICAL COMMITTEE:


Technical committee met on 27-08-24 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by the End User.

All bids were technically evaluated according to BOQs and mandatory eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014(Amended).


Technical Officer (SHC&MED)
Member


Syed Khurram Abbas
Member


Dr. Saba Khaliq
Co-Convener


Dr. Uruj Zahra
Convener

TECHNICAL EVALUATION / COMPARATIVE STATEMENT

TENDER FOR PROCUREMENT OF AUDIO VISUAL EQUIPMENT FOR SENATE HALL, UNIVERSITY OF HEALTH SCIENCES LAHORE


1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under clause 38, (2) (a) of PPRA Rule 2014 (Amended)
3. Title of Procurement: Tender For Procurement Of Audio Visual Equipment For Senate Hall, University Of Health Sciences Lahore
4. Date & Time of Bid Closing: 09-08-2024 at 11:00 AM
5. Date & Time of Bid Opening: 09-08-2024 at 11:30 AM
6. No. of bids received: 03


Sr #	Required Item(s) with specifications	Qty	Bidder Name		
			1	2	3
			M/s World Wide Vision	M/s Media K Solutions	M/s BKR Traders
LOT#2 LED 98" (Qty 1)					
1	<ul style="list-style-type: none"> • Display Type: 98" QLED or higher • Resolution: 4K or higher, 3840×2160 or higher resolution, HDR10+, Dolby Vision • OS: Android TV • Audio: Digital Sound quality with at least 5.1 surround sound • Inputs & Outputs: 3 HDMI, 1 USB, Audio out or higher • Connectivity: 2.4GHz/5GHz dual-band Wi-Fi 802.11 b/g/n/ax, WIFI-6, Ethernet Network • HDMI Cable: HDMI Cable of 20 meters or higher • Along-with other standard accessories, remote, installation and mounting kit. • Warranty: Minimum one-year manufacturer's warranty or higher as per OEM 	1	Not Quoted	Not Quoted	Qualified Brand Name: TCL Pakistan Model: C735 Country: Pakistan


IT EXPERTS Committee:

The IT Experts Committee met on 27-08-24 to evaluate bids received from the bidders following single stage two envelope bidding procedure on the basis of specifications specified in the bidding document uploaded on EPADs, PPRA and UHS website.

All bids were technically evaluated according to BOQs and mandatory eligibility criteria. IT Experts Committee recommends to process further as per PPRA Rules 2014(Amended).


Mr. Faisal Amin
 Director IT - UHS



Mr. Mujtaba Ali
 Director IT - PU


Mr. M. Mudassar Khan
 Manager IT - UET


Mr. Farhan Ahmad
 Joint Director - PITB

It is hereby confirmed that all bids were evaluated against the laid specifications and found 01 Bids qualified and 00 bid disqualified due to not meet mandatory eligibility criteria. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.


 (End User)



TECHNICAL COMMITTEE:

Technical committee met on 27-08-24 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by the End User.

All bids were technically evaluated according to BOQs and mandatory eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014(Amended).



Technical Officer (SHC&ME)
Member



Syed Khurram Abbas
Member



Dr. Saba Khaliq
Co-Convener



Dr. Uruj Zahra
Convener

TECHNICAL EVALUATION / COMPARATIVE STATEMENT

TENDER FOR PROCUREMENT OF AUDIO VISUAL EQUIPMENT FOR SENATE HALL, UNIVERSITY OF HEALTH SCIENCES LAHORE

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under clause 38, (2) (a) of PPRA Rule 2014 (Amended)
3. Title of Procurement: Tender For Procurement Of Audio Visual Equipment For Senate Hall, University Of Health Sciences Lahore
4. Date & Time of Bid Closing: 09-08-2024 at 11:00 AM
5. Date & Time of Bid Opening: 09-08-2024 at 11:30 AM
6. No. of bids received: 03

Sr #	Required Item(s) with specifications	Bidder Name		
		1	2	3
		M/s World Wide Vision	M/s Media K Solutions	M/s BKR Traders
LOT#3 VIDEO CONFERENCING DEVICE				
1	Item No 1 System Form Factor / Features 10x or above camera, with Base/Hub for cable connection or management, and 2 expandable Microphone. System should be Microsoft (Teams/Skype for Business) and ZOOM Certified	Not Quoted	Not Quoted	Qualified Logitech China Model:960-001057
2	Item No 2 Cables Connection Cables for all components Two cables for connection between hub/camera/ speakerphone (Length: 5m or higher) One USB cable for connection to PC/Mac (3m or higher)	Not Quoted	Not Quoted	Qualified Logitech China Model:960-001057
3	Item No 3 Video Features HD 1080p video quality at 30 frames-per-second	Not Quoted	Not Quoted	Qualified Logitech China Model:960-001057
4	Item No 4 Audio Features Acoustic echo cancellation(FOV without distortion) Noise reduction technology	Not Quoted	Not Quoted	Qualified Logitech China Model:960-001057
5	Item No 5 Audio Input / MICs (2 additional MIC) Omni-directional microphones supporting 5 meter diameter range or higher Frequency response: 100Hz – 11KHz	Not Quoted	Not Quoted	Qualified Logitech China Model:960-001057
6	Item No 6 Audio Output / Speaker/Speaker Phone Full-duplex performance Frequency response: 120Hz – 14KHz	Not Quoted	Not Quoted	Qualified Logitech China Model:960-001057

fail
✓
for
up
Delay
for
up
for
up

7	Item No 7 Camera specifications Zoom 10x, Smooth motorized pan, tilt, controlled from remote or console 260°pan, 130° tilt 90° Field of View Full HD 1080p 30fps Support up to 5 presets With video 4k output from HIMI, USB3.0, and LAN at the same time (type B Computable with USB 2.0) Warranty: One-year manufacturer's warranty for all equipment under this item.	Not Quoted	Not Quoted	Qualified Logitech China Model:960-001057
---	---	------------	------------	--


IT EXPERTS Committee:

The IT Experts Committee met on 27-08-24 to evaluate bids received from the bidders following single stage two envelope bidding procedure on the basis of specifications specified in the bidding document uploaded on EPADs, PPRA and UHS website.

All bids were technically evaluated according to BOQs and mandatory eligibility criteria. IT Experts Committee recommends to process further as per PPRA Rules 2014(Amended).


Mr. Faisal Amin
Director IT - UHS


Mr. Mujtaba Ali
Director IT - PU

For 
Mr. M. Mudassar Khan
Manager IT - UET


Mr. Farhan Ahmad
Joint Director - PITB

It is hereby confirmed that all bids were evaluated against the laid specifications and found 01 Bids qualified and 00 bid disqualified due to not meet mandatory eligibility criteria. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.

 (End User)

TECHNICAL COMMITTEE:


Technical committee met on 27-08-24 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by the End User.

All bids were technically evaluated according to BOQs and mandatory eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014(Amended).


Technical Officer (SHC&ME)
Member


Syed Khurram Abbas
Member


Dr. Saba Khaliq
Co-Convener


Dr. Uruj Zahra
Convener