

TECHNICAL EVALUATION REPORT (SUMMARY)

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage two Envelopes
3. Title of Procurement: Procurement of Gymnasium & IT Equipment & Furniture for University of Health Sciences Lahore
4. Tender Inquiry No: UHS/Pur/1353/2021
5. Date & Time of Bid Closing: 07-01-2022 at 11:00 AM
6. Date & Time of Bid Opening: 07-01-2022 at 11:30 AM
7. No. of bids received: 03

LOT A Gym Equipment:

Sr. No	Tender Item	Specification	H & Co Hadayat & Co	Power Engineering Pakistan	Shoab Gym Super Store
1	Treadmill:	Handrails 16in (40cm) handrails, Deck Type DX3™ Deck 18mm Thickness, Belt Forbo 907217, Running Surface (L x W) 60in x 22in (152cm x 55cm), Speed Range 0.5 - 14mph (0.8 - 23 km/h), 4-HP AC Continuous Duty (8-HP Peak Duty) Motor, Incline 0% to 15%, Rollers 3.5in / 9cm diameter, precision-crowned, front and back, FlexDeck Shock Absorption System, Step-up height 8" (20 cm), Max user weight 400 lbs (181 kg), Dimensions (L x W x H) 82in x 36in x 56in (209cm x 92cm x 142cm), Unit weight 425lbs (193kg)	Quoted as per BoQs specifications Qualified	Not Quoted	Underweight unit No motor specifications Not Qualified
2	Upright Bike:	Racing Handlebars Saddle Improved Comfort Curve™ Seat, Wide Ride™ Pedals - Pedal Strap, Generator Drive System with 8-Ribbed Poly-V Belt resistance system, Hybrid Eddy current brake with brushless internal generator for low drag and high power capability, Hybrid Eddy current brake with brushless internal generator for low drag and high power capability	Quoted as per BoQs specifications Qualified	Not Quoted	No 8-ribbed poly-V belt resistance system No Hybrid Eddy current brake with brushless internal generator for low drag and high power capability Not Qualified
3	Rowing Machine:	Monitor PM5, Overall Length 96 in (244 cm), Width 24 in (61 cm), Seat Height 14 in (36 cm) Monorail Length 54 in (137 cm), Fits inseams up to 36 in (91 cm), Chain or Cord Nickel plated chain/Chain/Cord Housing Partially enclosed Power Generation for PMPM3, Support Legs Aluminum front legs, steel rear legs, Monitor Arm ABS plastic. Pivots for storage and to adjust monitor height. Monitor angle can also be adjusted, Dimensions 96" x 24" x 14"	Quoted as per BoQs specifications Qualified	Not Quoted	Quoted as per BoQs specifications Qualified
4	Multi Station Gym:	Three weight stacks enable use by up to three users at the same time, Leg Ext. Curl, Lat Pulldown, Row, Machine Weight 1255 lbs (570 kg), Weight Stack 3 x 210 lbs (3 x 95 kg), Dimensions (L x W x H) 102" x 102" x 85" (229 cm x 229 cm x 216 cm)	Quoted as per BoQs specifications Qualified	Not Quoted	weight stacks not mentioned Machine Weight not mentioned Not Qualified
5	Leg Press:	Large, angled foot platforms, Adjustable back pad, Dimensions (L x W x H) 86" x 40" x 53" (metric cm: 218 x 102 x 135) Recommended Live Area 98" x 64" x 77" (metric cm: 249 x 163 x 196, Weight 594 lbs (269.4 kg), Weight Stack 262.5 lbs (131.25 kg) Max User Weight 300 lb (136 kg)	Quoted as per BoQs specifications Qualified	Not Quoted	Machine without weight stacks Width is large taking more area i.e. 72" Not Qualified
6	Seated Calf Extension:	Molded & Rotated Foot Plate, Convenient seat height, Dimensions (L x W x H) 70.3 in x 41.5 in x 58.1 in (179 cm x 106 cm x 148 cm), Weight 770 lb (350 kg) Weight Stack Weight in kgs 168	Quoted as per BoQs specifications Qualified	Not Quoted	Machine without weight stacks Unit weight is very less i.e. 92kg Not Qualified
7	Dual Adjustable Pulley:	Center positioned weight stacks, pull-up bar, 90° of cable with Adjustable Dual Pulley, Size (D x W x H) 56.2" x 54.6" x 84" 143cm x 139cm x 213cm, Recommended Live Area (D x W x H) 109" x 184" x 102", 277cm x 467cm x 259cm, Weight 700 lbs (318 kg), Weight Stacks Standard: 2 x 165lb (2 x 75kg) Resistance Ratio: 1:2, Effective User Resistance 2 x 80 lbs (2 x 40 kg)	Quoted as per BoQs specifications Qualified	Not Quoted	No Resistance Ratio: 1:2, Effective User Resistance 2 x 80 lbs (2 x 40 kg) Not Qualified
8	Utility Bench:	80 - degree back pad angle, Dimensions (L x W x H) 28 in x 36 in x 36 in (72 cm x 92 cm x 92 cm) Weight 50 lb (23 kg)	Quoted as per BoQs specifications Qualified	Not Quoted	Quoted as per BoQs specifications Qualified
9	Adjustable Bench:	Transport wheels and Handles, 0°-75° bench angle, 4mm thick steel frame durability is guaranteed, Unit Assembled Weight 82 lb, Dimensions (L x W x H) 47.8 in x 29.6 in x 18.3 in	Quoted as per BoQs specifications Qualified	Not Quoted	Inclination angle not mentioned Not Qualified
10	Rack:	2x2 Pipe, 16 Gage	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
11	Yoga Mats:	8mm Thickness	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
12	Dumbbell Rack:	3 Tier	Quoted as per BoQs specifications Qualified	Not Quoted	Quoted as per BoQs specifications

					Qualified
13	Junior Bar:	Length: 60", Product Weight: 10 KGS, Handle Diameter: 1", Solid Steel, Triple Coat Chromium,	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
14	Bar Holder:	Capacity of 8 Bars	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
15	Weight Plates:	Rubber Coated, 2.5 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
16	Weight Plates:	Rubber Coated, 10 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
17	Round Dumbbells:	Rubber Coated, 2 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
18	Round Dumbbells:	Rubber Coated, 6 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
19	Round Dumbbells:	Rubber Coated, 8 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
20	Round Dumbbells:	Rubber Coated, 12 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
21	Weight Scale:	Commercial standard (Capacity 200kg)	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
22	Cross Trainer:	Oversized 15in FlexForm™ non-slip pedals, Minimum Space between foot pedals 3in (7.6cm), Handlebars Moving handles with multi-grip and remote resistance controls, Stride Length 20in (51cm) ergonomic fixed, Maximum User Weight 400lbs (181kg) Dimensions (L x W x H) 86in x 29.5in x 63.5in (218cm x 75cm x 161cm) Active Dimension 87in (222cm) Unit Weight 298lbs (135kg) Step-Up Height 9.5in (24cm)	Quoted as per BoQs specifications Qualified	Not Quoted	Stride Length 18" inch which is below 20inch Low user weight capacity 159kg Not Qualified
23	Recumbent Bike:	HandleBars Seat Side, Seat 15.5in (39cm), Seat with Lumbar Support and wrap-around seat adjustment lever, 41 Fine-Tuned Seat Adjustments with wrap-around seat adjustment lever, Generator Drive System with 8-Ribbed Poly-V Belt resistance system, Single stage drive with self-tensioning idlers for minimal mechanical drag and low maintenance, Dimensions (L x W x H) 67in x 26in x 51.5in (179cm x 66cm x 131cm, Weight 211lbs (96kg), User Weight 400 lb (182 kg)	Quoted as per BoQs specifications Qualified	Not Quoted	Low user weight capacity 159kg Back seat dimensions is missing Generator drive system with 8 ribbed poly V belt resistance system is missing Not Qualified
24	Spinning Bike:	Magnetic brake system, Oversized steel frame, Micro-adjustable seat, Steel cased three piece crank set, double layer covering powder painting, Strong Poli-V belt drive system, Front mounted wheels, Bottle holder, Dual SPD-trekking pedals, LCD Monitor with Backlighting, 4 Adjustable supports at front and rear stabilizers	Quoted as per BoQs specifications Qualified	Not Quoted	No adjustable supports at front and rear stabilizers LCD monitor with backlighting missing Strong poly V belt drive system is missing Not Qualified
25	Seated Row:	Independent diverging movement, Adjustable chest pad, Dimensions (L x W x H) 48.6 in x 55.1 in x 58.1 in (124 cm x 140 cm x 148 cm) Weight 635 lb (289 kg), Weight Stack Weight in kgs 130	Quoted as per BoQs specifications Qualified	Not Quoted	Low in weight i.e 183kg Stack Weight is low i.e 107kg Not Qualified
26	Hip Abductor Adductor:	Adjustment mechanism allows exerciser to work both inner and outer thighs, Thigh pad adjustments allow user to customize the range of active engagement, Dimensions (L x W x H) 68" x 67" x 73" (metric cm: 173 x 170 x 135), Recommended Live Area 68" x 115" x 77"(metric cm: 173 x 292 x 196), Weight 432 lbs (136 kg) Weight Stack 142.5 lbs (71.25 kg) Max User Weight 300 lb (136 kg)	Quoted as per BoQs specifications Qualified	Not Quoted	Maximum user weight missing Low stack weight 68 kg Not Qualified
27	Dip Machine:	Angled back pad, Oversized pressing handles and traditional dip-style handles rotate in two positions, Dimensions (L x W x H) 53.1 in x 43.7 in x 58.1 in (135 cm x 111 cm x 148 cm), Weight 607 lb (276 kg), Weight Stack Weight in kgs 130	Quoted as per BoQs specifications Qualified	Not Quoted	Unit weight is less i.e 245kg Max user weight is not mentioned Not Qualified
28	Smith Machine:	Smith bar with a starting resistance of 45 lb, Smith bar travels at 7° angle, 8 weight horns for olympic plate storage, ASTM/EN certified, Integrated bar stops, Dimensions (L x W x H) 51 in x 73 in x 88 in (130 cm x 186 cm x 224 cm) Weight 398 lb (181 kg)	Quoted as per BoQs specifications Qualified	Not Quoted	Smith bar travels at 7° angle is missing starting resistance of 45 lb is missing Not Qualified
29	Flat Bench:	Transport wheels and convenient handle, 3-Layer paint, Injected core seat, Rubber pads on all feets, 4mm thick steel frame durability is guaranteed, Dimensions (L x W x H) 45.7 in x 35.5 in x 16.6 in, Unit Assembled Weight 55 lb	Quoted as per BoQs specifications Qualified	Not Quoted	No specification mentioned about paint coating, pads & wheels

30	Abdominal Bench	Adjustable back, Transport Wheel & Handle, Injected core seat, Dual foot Rubber pads, 10° incline - 20° decline bench angle provides workout variety, 4mm thick steel frame durability is guaranteed, Unit Assembled (Net) Weight lb. 89, Unit Length (in.) 68.4 Unit Width (in.) 28.5 Unit Height (in.) 35.4	Quoted as per BoQs specifications Qualified	Not Quoted	Not Qualified Incline/decline angles are missing Steel frame gauge is missing Not Qualified
31	Olympic Squat Rack:	Five racking positions and eight weight horns, Molded Urethane Protective Racking System, Molded urethane guards, Dimensions (L x W x H) 66 in x 77.5 in x 75.5 in (168 cm x 197 cm x 192 cm), Weight 400 lb (182 kg)	Quoted as per BoQs specifications Qualified	Not Quoted	At least 5 position & 8 weight horns are not mentioned in specification Not Qualified
32	Gym Ball:	75cm	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
33	Power Step:		Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
34	Power Bar:	Length: 84", Product Weight: 17 KGS, Featuring heat-treated high polished Carbon Steel	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
35	EZ Curl Bar:	Length: 60", Product Weight: 10 KGS, Handle Diameter: 1", Solid Steel, Triple Coat Chromium,	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
36	Weight Plates:	Rubber Coated, 5 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
37	Weight Plates:	Rubber Coated, 15 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
38	Weight Plates:	Rubber Coated, 20 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
39	Round Dumbbells:	Rubber Coated, 4 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
40	Round Dumbbells:	Rubber Coated, 10 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
41	Round Dumbbells:	Rubber Coated, 14 Kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted
42	Round Dumbbells:	Rubber Coated, 16 Kg/18 kg/20kg	Quoted as per BoQs specifications Qualified	Not Quoted	Not Quoted


LOT B: IT Equipment

Sr. No	Tender Item	Specification	H & Co Hadayat & Co	Power Engineering Pakistan	Shoib Gym Super Store
01	Desktop Computer	10th Generation Intel Core i7-10700 (8 Cores/16MB/16T/2.9GHz to 4.8 GHz/56 W 16GB, DDR4 non ECC Memory 128 GB solid state drive + 5.5 inch 1TB 7200rpm SATA hard disk drive Graphic card: GeForce GTX 1050 Ti 4GB GDDR5 128 bit PCI E Graphic card (GV-N105TD5-4GD) Intel Integrated Graphics Intel Q470 chipset DVDRW Dell 18.5" LED Monitor Mouse + Keyboard 3 Year Warranty	Not Quoted	Not Quoted	Not Quoted
02	LED TV	Fully smart LED, 3840 x 2160 49" Resolution Real 4K Purcolor Processor UHD HDR(10+Compatible) Universal Guide One Remote (Function) Auto Remote (Function) Wireless LAN Bluetooth	Not Quoted	Not Quoted	Not Quoted


LOT C: Furniture:

Sr. No	Tender Item	Specification	H & Co Hidayat & Co	Power Engineering Pakistan	Shoaib Gym Super Store
1	Computer Chair	Revolving Chair with Arms and best Quality Leatherite/Foam (Molty foam/ Equivalent or higher Quality) with lumbar back support having heavy duty Rotation nylon base size W:24 x 17:D x 38:H (inches)	Not Quoted	Quoted as per BoQs specifications Qualified	Not Quoted
2	Computer table	Spacious Desk platform, Storage Draw, Glides for floor safety, Cpu storage compartment,sliding keyboard tray, Made from Durable core Material, size: H:29 x W:35 x D:20 (inches)	Not Quoted	Quoted as per BoQs specifications Qualified	Not Quoted
3	Center Table/Coffee Table	SIZE: 1200 W x 600 D x 405 H (mm) Carcass and structure made in brown oak & white thermoset on pre-laminated MDF Baes made in metal legs with black matt powder coat & glides	Not Quoted	Quoted as per BoQs specifications Qualified	Not Quoted
4	Sofa 3-Seater	Best Quality leatherette Metal Legs, full cushion with molty foam/Equivalent or higher Quality. Size 3 Seater : 76 W X 30 D X 25 H (inches)	Not Quoted	Quoted as per BoQs specifications Qualified	Not Quoted
5	Sofa 1-Seater	Best Quality leatherette Metal Legs, full cushion with molty foam/Equivalent or higher Quality. Size 1 Seater : 33.5 W X 30 D X 25 H (inches)	Not Quoted	Quoted as per BoQs specifications Qualified	Not Quoted


All technical bid was evaluated by EndUser against the laid specifications and comparative statement (summary/detail) is being submitted to Technical committee for further necessary action.


Dr Usman Javad
Gymnasium, UHS

No Complaint Shall be entertained after 10 days of display of Technical Evaluation report.



Dr. Uruj Zehra
Convener



Lt.Col. (R). Dr. Khalid Rahim Khan
Member



Dr. Allah Rakha
Member